


DYNATECH PUMPS

Electric Submersible Pumps 8" – Casted Stainless Steel
 Electropompes Immergees 8" – Acier Inox Fondu
 Electrobombas Sumergidas 8" – Acero Inox Fundido

Pump Construction/ Construction Pompes/ Construccion De La Bomba - DT 77, 95



27

Ref	Description/ Description	Material/ Matiere	Q
1	Top Bracket/ Corps De Refoulement/ Cuerpo De Descarga	Casted Stainless Steel/ Acier Inox Fondu/ Acero Inox Fundido	1
2	Valve/ Clapel/ Valvola	Stainless Steel/ Acier Inox/ Acero Inox	1
3	Bolt Shaft/ Boulon-Arbre/ Perno-Eje	Stainless Steel/ Acier Inox/ Acero Inox	1
4	Gasket Shaft/ Rondelle-Arbre/ Arandela-Eje	Stainless Steel/ Acier Inox/ Acero Inox	1
5	Neck Ring/ Bague D'Usure/ Aro Rodete	N.B.R.	n+1
6	Clip Ring/ Anneau D'Grafe/ Anillo Del Clip	Stainless Steel/ Acier Inox/ Acero Inox	1
7	Intermediate Bearing/ Roulement Intermediaire/ Cojinete Intermedio	N.B.R.	n
8	Top Bushing/ Entretoise Supeneur/ Casquillo Superior	Stainless Steel/ Acier Inox/ Acero Inox	1
9	Diffuser/ Diffuseur/ Difusor	Casted Stainless Steel/ Acier Inox Fondu/ Acero Inox Fundido	n
10	Impeller/ Turbine/ Rodete	Casted Stainless Steel/ Acier Inox Fondu/ Acero Inox Fundido	n
11	Impeller spline/ Clavette Turbine/ Chaveta Rodete	Stainless Steel/ Acier Inox/ Acero Inox	n
12	Shaft/ Arbre/ Eje	Stainless Steel/ Acier Inox/ Acero Inox	1

Ref	Description/ Description	Material/ Matiere	Q
13	Intermediate Bushing/ Entretoise Intermediaire/ Casquillo Intermedio	Stainless Steel/ Acier Inox/ Acero Inox	n-1
14	Bottom Diffuser/ Diffuseur Inferieure/ Difusor Inferior	Casted Stainless Steel/ Acier Inox Fondu/ Acero Inox Fundido	1
15	Bottom Bushing/ Entretoise Inferieure/ Casquillo Inferior	Stainless Steel/ Acier Inox/ Acero Inox	1
16	Filter/ Crepin Aspiration/ Rejilla Aspiration	Stainless Steel/ Acier Inox/ Acero Inox	1
17	Coupling Spline/ Clavette Manchon/ Chaveta Manguito	Stainless Steel/ Acier Inox/ Acero Inox	1
18	Coupling/ Manchon/ Manguito	Stainless Steel/ Acier Inox/ Acero Inox	1
19	Bottom Bracket/ Corps Aspiration/ Cuerpo Aspiration	Casted Stainless Steel/ Acier Inox Fondu/ Acero Inox Fundido	1
20	Screw Cable Strap/ Vis/ Tornillo		4
21	Gasket Cable Strap/ Rondelle/ Arandela	Stainless Steel/ Acier Inox/ Acero Inox	4
22	Screw Cable Guard/ Vis/ Tornillo	Stainless Steel/ Acier Inox/ Acero Inox	2
23	Cable Strap/ Tirant/ Tensor	Stainless Steel/ Acier Inox/ Acero Inox	4
24	Cable Guard/ Couvre Cable/ Proteccion Cable	Stainless Steel/ Acier Inox/ Acero Inox	1

DYNATECH PUMPS

8"DT 77A


8" Submersible Pumps
Pompes Immergees 8"
Bombas Sumergidas 8"

60Hz

Performance/ Performances/ Prestaciones

- Maximum sand quantity in the water/ Max quantite de sable dans l'eau/
Maxima cantidad de arena en el agua - 200 g/m³
- Water temperature up to/ Temperature de l'eau jusqu' a/ Temperature del agua hasta - 60 degree Celcius
 - Connection/ Connexion/ Acoplamiento - NEMA Standards
 - Impeller/ Roues/ Rodete - mixed flow/ helicocentrífuges/ semi axiales
- Installation/ Instalacion - horizontal and vertical/ horizontale and verticale

Type Tipo	N. Stages N.Etage N.Etapas	Motor / Moteur			Pump/ Pompes/ Bombas		
		Type Tipo	KW	HP	A (mm)	B (mm)	Kg
DT77A-1	1	6"	5.5	7.5	451	176	15.5
DT77A-2	2	6"	11.0	15.0	579	176	21.0
DT77A-3	3	6"	18.5	25.0	708	176	27.0
DT77A-4	4	6"	22.0	30.0	836	176	33.0
DT77A-5	5	6"	26.0	35.0	964	176	39.0
DT77A-6	6	6"/ 8"	37.0	50.0	1092	176	45.0
DT77A-7	7	6"/ 8"	37.0	50.0	1220	176	51.0
DT77A-8	8	8"	45.0	60.0	1349	176	57.0
DT77A-9	9	8"	55.0	70.0	1477	176	63.0
DT77A-10	10	8"	55.0	70.0	1605	176	69.0
DT77A-11	11	8"	63.0	85.0	1775	176	77.0
DT77A-12	12	8"	63.0	85.0	1903	176	83.0
DT77A-13	13	8"	75.0	100.0	2132	176	90.0
DT77A-14	14	8"	92.0	125.0	2160	176	95.0
DT77A-15	15	8"	92.0	125.0	2288	176	101.0




DYNATECH PUMPS

8" DT 77A

8" Submersible Pumps
 Pompes Immergees 8"
 Bombas Sumergidas 8"

60Hz



DYNATECH PUMPS

8"DT 95A


8" Submersible Pumps
Pompes Immergees 8"
Bombas Sumergidas 8"

60Hz

Performance/ Performances/ Prestaciones

- Maximum sand quantity in the water/ Max quantite de sable dans l'eau/
Maxima cantidad de arena en el agua - 200 g/m3
- Water temperature up to/ Temperature de l'eau jusqu' a/ Temperature del agua hasta - 60 degree Celcius
 - Connection/ Connexion/ Acoplamiento - NEMA Standards
 - Impeller/ Roues/ Rodete - mixed flow/ helicocentrifuges/ semi axiales
- Installation/ Instalacion - horizontal and vertical/ horizontale and verticale

Type Tipo	N. Stages N.Etage N.Etapas	Motor / Moteur			Pump/ Pompes/ Bombas		
		Type Tipo	KW	HP	A (mm)	B (mm)	Kg
DT95A-1	1	6"	7.5	10.0	451	176	16.0
DT95A-2	2	6"	13.0	17.5	579	176	21.5
DT95A-3	3	6"	22.0	30.0	708	176	27.5
DT95A-4	4	6"	26.0	35.0	836	176	33.5
DT95A-5	5	6"/ 8"	37.0	50.0	964	176	39.5
DT95A-6	6	6"/ 8"	37.0	50.0	1092	176	45.5
DT95A-7	7	8"	45.0	60.0	1220	176	51.5
DT95A-8	8	8"	55.0	70.0	1349	176	57.5
DT95A-9	9	8"	63.0	85.0	1477	176	64.0
DT95A-10	10	8"	63.0	85.0	1605	176	70.0
DT95A-11	11	8"	75.0	100.0	1775	176	78.0
DT95A-12	12	8"	92.0	125.0	1903	176	84.0
DT95A-13	13	8"	92.0	125.0	2132	176	91.0



DYNATECH PUMPS

8" DT 95A

8" Submersible Pumps
 Pompes Immergees 8"
 Bombas Sumergidas 8"

60Hz

